MATERIAL SAFETY DATA SHEET COMPLIES WITH OSHA'S HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)

SECTION I · PRODUCT IDENTIFICATION

					JN				
Product Name:	Multi-Surface Deodorizing Cleaner	r				HMIS Rating (Based on Aerosol Conc.):			
Product Number:	488		Date Prepared:	11/21/07		0-Minimal 1-Slight 2-Moderate			
Product Type:	AEROSOL					3-Serious 4-Extreme		ne	
Formula:	Proprietary					HEALTH:		1	
Supplier's Name:	Terand Industries, Inc.		Information Phone:			FLAMMABILITY:		0	
Supplier's Address:	P.O. Box 667770, Pompano Beach,		Emergency Phone:	(800) 535-5053		PHYSICAL HAZAF		0	
DOT Ship Description:	CONSUMER COMMODITY, ORM-D	1				Personal Protection	n:	В	
		er	ECTION II · INGR						
CHEMICAL NAME		CAS #	%WT	313/Chem	<u>Skin</u>	Carcinogen	PEL	TLV - TWA	
CHEMICAL NAME		<u>CA3 #</u>	<u>/644 I</u>	<u>313/Chem</u>	<u>Skiii</u>	<u>Carcinogen</u>			
Sodium Bicarbonate		144-55-8	1 - 10	NO	NO	NO	N/E	N/E	
Triethanolamine		102-71-6	1 - 10	NO	NO	NO	N/E	5 mg/m3	
Isopropyl Alcohol		67-63-0	1 - 10	NO	NO	NO	400 ppm	200 ppm	
Citrus Terpene		5989-27-5	1 - 10	NO	NO	NO	N/E	N/E	
Liquefied Petroleum G	as	68476-86-8	1 - 10	NO	NO	NO	1000 ppm	1000 ppm	
		950	TION III - PHYSI						
Aerosol Concentrate	:	320		CAL DATA					
Boiling Point:	212°F		Specific Gravity (H2	?O=1)@70°F:	1.02				
pH:	9.5		Solubility In Water:	,c	Complete				
Appearance/Odor:	White foam with citrus odor		Vapor Density(Air=	I):	>1				
Total Contents:									
Total VOC %:	9.93%		Vapor Pressure (ca	n; psig @72°F):	55 psig				
					AT A				
Flash Point (Conc.):	None to Boiling (212°F) FIRE AND EXPLOSION DATA Flammability (as per CSMA Flame Projection Test): Non-Flammable Spray								
Extinguishing Media:	Foam, CO2, Dry Media			Flammability (as per CSMA Flame Projection Test): Non-Flammable Spray					
	Procedures: Wear self-contained breath	ning apparatus a	and protective clothing	Cool fire exposed	containers to p	revent rupturing			
	osion Hazards: Exposure to temperatur					i o ront i optannigi			
·			, 0						
		SEC	TION V · REACT						
Stability:	Material Stable.			Hazardous Polyn	nerization:	Will not Occur.			
	contact with strong oxidizing agents.	Monovido Nitr							
nazaruous Decompos	ition Products: Carbon Dioxide, Carbor	I WORDXIDE, INIT	ugen Uxides.						
		SECTION	VI · STORAGE	AND HANDLI	NG				
KEEP OUT OF REAC				NFPA Code 30E	3 Rating:	Level 1 Aerosol.			
For Industrial and Insti									
	a away from heat or open flame.								
Do not store at temper	atures above 120° F.								
		SECTIO	N VII · HEALTH /		חו				
PRIMARY ROUTES C	F ENTRY & EFFECTS OF OVER EXP								
Eyes: May cause sligh									
	onged contact may cause irritation.								
	f mist can cause irritation of nasal and		ages. Frequent or pro	longed exposure r	may cause irritat	tion to the upper respi	ratory tract, cou	ıghing,	
	adache, and other central nervous syste								
	an cause gastrointestinal irritation, naus	sea, vomiting, ar	nd diarrhea. Aspiration	of material into the	e lungs can cau	se lung inflammation	and other lung	injury.	
FIRST AID PROCEDU	JRES:								

FIRST AID PROCEDURES:

Eyes: Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately. Skin: Wash with soap and water. If irritation persists seek medical attention.

Inhalation: Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration.

Ingestion: Do not induce vomiting. Seek medical attention immediately.

SECTION VIII · SPECIAL PROTECTION DATA

Respiratory Protection: None needed for proper use in accordance with label directions.

Ventilation: Provide local exhaust to keep air concentrations of ingredients listed in Section II below acceptable limits.

Protective Gloves: Use chemical resistant gloves if hand contact will be made.

Eye Protection: Always wear safety glasses or chemical proof goggles when working with any chemical.

SECTION IX · SPILL OR LEAK PROTECTION

STEPS TO BE TAKE IN CASE OF SPILL OR LEAK: Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accordance with Federal, State and local laws.

WASTE DISPOSAL METHOD: Aerosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Consult Federal, State and local authorities for approved procedures.

N/A= NOT APPLICABLE · N/E=NOT ESTABLISHED · N/D=NOT DETERMINED · <=LESS THAN · >=MORE THAN

NOTICE: The information contained on this Material Safety Data Sheet is considered accurate as of the date of publication. It is not necessarily all inclusive nor fully adequate in every circumstance. The suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, express or implied, of merchantability, fitness, accuracy of data, or the results to be obtained from the use thereof is made. The vendor assumes no responsibility for injury or damages resulting from the inappropriate use of this product.