#### Permatex, Inc. 10 Columbus Blvd. Hartford, CT 06106 USA **Telephone: 1-87-Permatex** (877) 376-2839 Emergency: 800-255-3924 International Emergency: 813-248-0585

# Material Safety Data Sheet

### **1. PRODUCT IDENTIFICATION**

**Product Name:** Item No: **Product Type:** 

29050

PENETRATING GRADE THREADLOCKER GREEN 50ML Anaerobic

2. COMPOSITION/INFORMATION ON INGREDIENTS					
Ingredient	Weight Percent	ACGIH TLV:	OSHA PEL:		
METHACRYLATE MONOMER 25852-47-5	80-90	Not Listed	Not Listed		
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	<10	Not Listed	Not Listed		
ALKYL TOLUIDINE 613-48-9	<5	Not Listed	Not Listed		
SACCHARIN 81-07-2	<5	10mg/m <sup>3</sup> nuisance dust	Not Listed		
AROMATIC AMINE 609-72-3	<3	Not Listed	Not Listed		

# 3. HAZARDS IDENTIFICATION

**Toxicity:** 

Inhalation:

Skin Contact:

Eye Contact:

May cause eye and skin irritation. At elevated temperatures may cause irritation of the respiratory tract. Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. May cause skin sensitization.

**Primary Routes of Entry:** Signs and Symptoms of Exposure: Eye and skin contact, ingestion, inhalation

Repeated skin contact may cause allergic skin reactions. Ingestion may cause nausea and vomiting. Inhalation overexposure may cause irritation, coughing and flu-like symptoms. May cause pain, redness or swelling of the eyes and excessive blinking and tear production.

Ingredient	Weight Percent	NTP	ACGIH Carcinogens	IARC
SACCHARIN	<5	Delisted April 2000		Group 3: Vol 73, Page 517:
81-07-2				1999

**Medical Conditions Recognized as** Preexisting skin disorders. Being Aggravated by Exposure:

#### 4. FIRST AID MEASURES Ingestion:

If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention. Move to fresh air in case of accidental inhalation of vapours. Obtain medical attention. Wash off with soap and water. If skin irritation persists, call a physician. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

# 5. FIRE FIGHTING MEASURES

Flash Point (°F/C): **Recommended Extinguishing Media: Special Fire-Fighting Procedures:** Hazardous Products of Combustion: **Unusual Fire/Explosion Hazards:** 

Lower Explosive Limit: **Upper Explosive Limit:** 

More than 200 degrees F. Method: PMCC Water fog, carbon dioxide, foam, dry chemical. Firefighters should wear self-contained breathing apparatus. Irritating vapors None.

Not determined Not determined

### 6. ACCIDENTAL RELEASE MEASURES

Spill Procedures:

Asim Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal.

# 7. HANDLING AND STORAGE

Storage:	Store below 100 degrees F.
Handling:	Avoid prolonged skin contact. Keep away from eyes.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes:	Safety glasses
Skin:	Rubber or plastic gloves.
Ventilation:	General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits (or to the lowest feasible levels when limits have not been established) during the use of this product.
Respiratory Protection:	An approved respirator (i.e. NIOSH, etc.) should be worn when exposures are expected to exceed the applicable limits.

C.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Green liquid		
Odor:	MILD		
Boiling Point:	More than 200 degrees		
pH:	Does not apply		
Solubility in Water:	Insoluble		
Specific Gravity:	0.8		
VOC Content(Wt.%):	Not determined		
Vapor Pressure:	Not determined		
Vapor Density (Air=1):	Heavier than air		
Evaporation Rate:	Not Determined		

# **10. STABILITY AND REACTIVITY**

Chemical Stability: Hazardous Polymerization: Incompatabilities: Conditions to Avoid: Hazardous Products of Combustion: Stable at normal conditions Will not occur. Strong oxidizers Heat. Irritating vapors

## **11. TOXICOLOGICAL INFORMATION**

See Section 3

#### **12. ECOLOGICAL INFORMATION**

No data available

#### **13. DISPOSAL CONSIDERATIONS**

Recommended Method of Disposal:Disposal should be made in accordance with federal, state and local regulations.US EPA Waste Number:NH - Not a RCRA Hazardous Waste Material

## **14. TRANSPORTATION INFORMATION**

DOT (49CFR 172)

Domestic Ground Transport	
DOT Shipping Name:	I

DOT Shipping Name:	Unrestricted
Hazard Class:	None
UN/ID Number:	None
Marine Pollutant:	None

#### <u>IATA</u>

Proper Shipping Name:	Not regulated
Class or Division:	None
UN/NA Number:	None

#### IMDG

Proper Shipping:	Unrestricted
Hazard Class:	None
UN Number:	None

### **15. REGULATORY INFORMATION**

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

DIMETHYLBENZYL HYDROPEROXIDE

#### CALIFORNIA PROP 65:

No California Prop 65 chemicals are known to be present.

TSCA Inventory Status: Listed on Inventory: YES All components of this product are listed (or exempt) on the EPA TSCA inventory.

### **16. OTHER INFORMATION**

Estimated NFPA Rating:HEALTH 2, FLAMMABILITY 1, REACTIVITY 1Estimated HMIS Classification:HEALTH 2, FLAMMABILITY 1, PHYSICAL HAZARD 0NFPA is a registered trademark of the National Fire Protection Assn.HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By:	Denise Boyd, Health and Safety Manager			Revision Date: 08/16/2006		
Company:	Permatex. Inc.	10 Columbus Blvd.	Hartford, CT	USA 06106	Revision Number:	2