## **MATERIAL SAFETY DATA SHEET**

This MSDS complie	s with OSHA'S Ha	azard Communication Standard 29 CFR 1910.120	00 and OSHA	Form 174			
	IDENTITY A	AND MANUFACTURER'S INFORMATION					
NFPA Rating: Health-2; Flammability-2; Reactivity-0	); Special	HMIS Rating: Health-2; Flammability-2; R	eactivity-0; I	Personal Prote	ction-B		
Manufacturer's Name: Amrep, Inc.		DOT Hazard Classification:					
Address: 990 Industrial Park Dr.	ss: 990 Industrial Park Dr. For ground transport: Combustible (CFR173.150F)(in bulk container less than 110 gallo						
Address: Marietta, GA 30062		For ocean vessel or air transport: Flammable Liquid, 3					
		Identity (trade name as used on label):					
Date Prepared: 05/16/07 Prepared By: I	RC/IB	MSDS Number: B00577	Revision -				
Information Calls: (770)422-2071		NOTICE: JUDGMENT BASED ON IN	IDIRECT TI	EST DATA			
EMERGENCY RESPONSE NUMBER: 1-800-255-3924		TERIAL IDENTIFICATION AND INFORMA	TION				
		TERIAL IDENTIFICATION AND INFORMA		OCUA DEL	A00111	0	
COMPONENTS-CHEMICAL NAMES AND COMMON N (Hazardous Components 1% or greater; Carcinogens 0.		CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **	
PETROLEUM DISTILLATE	. 1 /6 Or greater)	68476-30-2 / 64742-94-5 / 64742-47-8	No	500	500	d d	
NAPHTHALENE	+	91-20-3	Yes	10	10	d	
2-BUTOXYETHANOL (glycol ether)		111-76-2	Yes	50	25(skin)	d	
		-			- (- /	_	
2,4-D ISOOCTYL ESTER		1928-43-4	Yes	10mg/m3	10mg/m3	е	
5-BROMO-3-SEC-BUTYL METHYLURACIL		314-40-9	Yes	10mg/m3	10mg/m3	е	
WARNING: This product		mical or chemicals known to the State of		to cause c	ancer.		
	SECTION 2 - I	PHYSICAL/CHEMICAL CHARACTERISTIC	cs				
Boiling Point: Initial 430°F		Specific Gravity (H2O=1): 0.90					
Vapor Pressure: PSIG @ 70°F (Aerosols): N/A			Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): 0.3				
Vapor Density (Air = 1): greater than 1	Evaporation Rate (BUAC = 1): 0.07						
Solubility in Water: Insoluble		Water Reactive: Negligible					
Appearance and Odor: Colorless to amber fluid with a		FIRE AND EVEL COLON HAZARD DATA					
ELANDAR DILITY LIQA ELANE DDO JECTION TE		- FIRE AND EXPLOSION HAZARD DATA		0/ 1- 1/-1	0/151 40 0/1	IEI 00	
FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols):N/A   Auto Ignition Temperature:N/A   Flammability Limits in Air by% in Volume:%LEL=1.0; %UEL= 6.0							
FLASH POINT AND METHOD USED (non-aerosols): approx.140°F TCC (may vary due to variation in petroleum)  SPECIAL FIRE FIGHTING PROCEDURES: Do not enter confined space w/o full bunker gear including positive pressure chemical, water fog.							
NIOSH approved SCBA. Cool fire exposed containers w		w/o full burriker gear including positive pressure	Crieffical, V	valer log.			
		n can liberate noxious & toxic fumes					
Unusual Fire & Explosion Hazards: Oxidation & thermal decomposition can liberate noxious & toxic fumes.  SECTION 4 - REACTIVITY HAZARD DATA							
STABILITY [X] STABLE [ ] UNSTABLE   HAZARDOUS POLYMERIZATION [ ] WILL [X]WILL NOT OCCUR							
Incompatibility (Mat. to avoid): Strong oxidizing agents.  Conditions to Avoid: Excessive heat, sparks, open flame.							
Hazardous Decomposition Products: Oxides of carbon & nitrogen, hydrogen chloride, hydrogen bromide, unidentified organics.							
SECTION 5 - HEALTH HAZARD DATA							
PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS							
ACUTE EFFECTS: CNS symptoms: giddiness, headache, dizziness, nausea, unconsciousness.							
Inhalation: High vapor or spray mist concentrations may produce nose, throat & respiratory irritation & may cause CNS depression (see symptoms above).							
Eye Contact: Slightly irritating. High vapor concentrations may be irritating. Skin Contact: Prolonged/repeated contact can result drying of skin, irritation & dermatitis.							
Ingestion: Not highly toxic, but may result in vomiting. Aspiration of vomitus may result in pneumonitis.							
CHRONIC EFFECTS: This product may cause skin sensitization reactions in some people.							
Medical Conditions Generally Aggravated by Exposure: Pre-existing eye, skin and respiratory disorders.							
EMERGENCY FIRST AID PROCEDURES							
Eye Contact: Flush with water 15 minutes while holding lids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention.							
Skin Contact: Remove contaminated clothing. (Launder clothing before re-use.) Wipe excess from skin. Wash with soap and water. If irritation persists, get medical attention.							
Inhalation: Remove to fresh air. If CNS symptoms occur, get medical attention.  Ingestion: Immediately call poison control center or doctor. DO NOT INDUCE VOMITING unless told to by a poison control center or doctor. Do not give any liquid to the person. Do							
not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. <b>NOTE TO PHYSICIAN:</b> May pose an aspiration pneumonia hazard. Contains petroleum distillates. ( <i>National Poison Control is 1-800-222-1222</i> )							
PHYSICIAN: May pose an aspiration prieumonia nazaro		CONTROL AND PROTECTIVE MEASURE					
Respiratory Protection (specify type): Avoid prolonge				equate ventila	tion		
Protective Gloves: Chemical resistant (barrier laminate						nriate	
Ventilation Requirements: Normal room ventilation is							
Other Protective Clothing & Equipment: Long-sleeve	•						
gallon must also wear coveralls or a chemical resistant							
Hygienic Work Practices: Wash hands after handling.			, after work, r	emove all clot	ning & shower ı	using soap &	
water. Do not reuse clothing worn during application of t	his product withou	ut cleaning first. Clothing must be kept & washed	separately fro	om other hous	ehold laundry.		
S	ECTION 7 - PR	ECAUTIONS FOR SAFE HANDLING AND	USE				
Steps To Be Taken If Material Is Spilled Or Released			ace waters. S	oak up in inert	absorbent mat	erial & place into	
properly labeled & sealed non-leaking containers for dis							
Waste Disposal Methods: Dispose of in accordance with all local, state and federal regulations. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess							
pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate ground water. If these wastes cannot be disposed of by use according to label instructions,							
contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance. CONTAINER DISPOSAL: (For 1 gallon plastic containers): Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, or if allowed by state and local							
lauthorities, by burning. If burned, stay out of smoke. (For 5 to 55 gallon metal containers): Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or puncture and							
dispose of in a sanitary landfill, or by other procedures a			. 51151 101 160	, 5	iii oi mig, oi pi	aotaro aria	
Precautions To Be Taken In Handling & Storage: Store in original shipping containers. Keep container tightly closed when not in use. Do not contaminate water, food, feed or							
fertilizer by storage or disposal. If container is damaged or leaking, contain spill. Keep away from sources of heat, sparks or open flame.							
Other Precautions &/or Special Hazards: KEEP OUT							
pour product from this container. A mechanical system (						or weld on full,	
part full or empty drums because explosive mixtures of air & vapor may be present. Do not enter or allow others to enter the treated area until sprays have dried.							